



Useful Hints

PRE-BROODING PROGRAM

Years of discussion has taken place about doing treatment before mating. We believe that the ideal thing to do is consult a veterinarian competent in bird diseases, who will be able to indicate therapy aimed at the specific needs. Our Veterinarians have prepared this PRE-BROODING DIAGRAM, as the high number of birds breeding in close spaces and the interchange between birds often determine the presence of sub-clinical diseases ready to break out during breeding.

- **NATURBIOTIC SPECIAL:** 15 g (2 full measures) each Kg of egg-food, starting 30 days before mating and continuing for all the breeding and feather loss period.
- **Administer SPRINTER U** (10 cc each litre of water) for 25 days for the males and 20 days for the females; for a better result add **DEFENDER FORTEX** (10 cc each litre of water) in the same water, with **SPRINTER U**.
- During this period make available **RD 63** to the males, in a suitable container.

NB. It is recommended to administer SIMBIOTIC all year round in the egg-food.

BREEDING

IMPORTANT: Place 15 g of **NATURBIOTIC SPECIAL** each Kg of egg-food, for the whole breeding period.

It is very useful to add 2 g (1 level teaspoon) of **NATURBIOTIC SPECIAL** each 100 g of beakful egg-food.

- Moisten the egg-food with **DEFENDER** or with cooked seeds treated with **DEFENDER S**.
- Administer **DEFENDER FORTEX** and **ENERGOVIS NEW** for 2-3 days a week: the product can be administered simultaneously in the egg-food or in water.
- In debilitation cases or during weaning of the chicks, administer **DEFENDER FORTEX**, simultaneously with **ENERGOVIS NEW**, for 7 consecutive days.
- Administer **TISANA** for 5 days per month.
- When the chicks are born, beakful feed them with **NUTRIENT SPECIAL**.
- Make available **RD 63** to the males in the tongues or in the egg-food.

WEANING

Administer **ENERGOVIS NEW**, 10 g each litre of water, for 10 days simultaneously with **RD 63** in the egg-food.

MOULTING

- Feed with **BIANCOFIORE** or with **MORBIDO SUPER**.
- For the birds with red factor symptoms, it is recommended 1 sachet of **XANTOFIL** each Kg of egg-food.
- Administer **MUTASTRESS** and **DEFENDER FORTEX** two days a week.
- Administer **TISANA** 5 days each month and for 10-15 consecutive days for birds with a swollen belly.
- Place **RD 63** in egg-food, continuously for yellow and white canaries and in all cases where undesirable colours are not wanted.
- Administer 15 g of **NATURBIOTIC SPECIAL** each Kg of egg-food during the whole feather loss period.

SEPTEMBER

Administer simultaneously **ENERGOVIS NEW** in the egg-food and **TISANA** in the water, for 15 days.

SHOWS

- Administer **MUTASTRESS** during the 5 days before the show.
- Administer **MUTASTRESS** simultaneously with **DEFENDER FORTEX**, during the 5 days after the show.

**UN SALTO DI QUALITÀ
A QUALITY LEAP
UN SAUT DE QUALITE
EIN QUALITÄTSPRUNG
UN SALTO DE CALIDAD
UM PULO DE QUALIDADE**

